

Library Skeleton

Skeleton of a Derafu Library

Anonymous · 08/10/2026 · #php

Skeleton of a Derafu Library

github [derafu/library-skeleton](#)

`derafu/library-skeleton` is the starting point of a new Derafu library. Everything is in its repository: there is no installer.

```
composer create-project derafu/library-skeleton my-library --stability=dev
```

What it has

- `composer.json` with the scripts that every Derafu library has: `tests`, `phpcs`, `phpcs-fix`, `phpstan` and `docs`.
- The tools and their configuration: PHP CS Fixer, PHPStan (level 5, over `src` and `tests`) and PHPUnit (strict: a warning, a risky test or a deprecation fails the run, and every test says what it covers). See [Code Quality](#).
- The CI (`.github/workflows/ci.yml`), the `.gitignore` and the `LICENSE`.
- An example class with its test, `src/Teapot.php` and `tests/src/TeapotTest.php`. Delete them when the library has code of its own.
- The pattern of the translations: the exceptions are translatable, the Spanish catalogue is in `resources/translations/errors+intl-icu.es.php`, the provider is `src/Translation/ProjectTranslationResourceProvider.php`, the wiring for `symfony/dependency-injection` is in `resources/config/project-services.yaml`, and `tests/src/Translation/ProjectMessagesTest.php` audits that every message has its translation, that the catalogue has nothing unused and that every exception is translatable. See [Translation](#).

To use it

1. Edit `composer.json`: change the name, the description and the namespaces (`Derafu\Project\` and `Derafu\TestsProject\`), and change `"type": "project"` to `"type": "library"`. The skeleton is a project so it can be created with `composer create-project`, but the library you write is a `library`. Then change the names in the files of `src` and `tests`.
2. Rename `ProjectTranslationResourceProvider` and its catalogue.

3. Write the library. The message of an exception is a literal in English (the id of the translation) with its parameters, and has its entry in the catalogue.
4. Run `composer tests`, `composer phpstan` and `composer phpcs`.

A site is not a library

`derafu/library-skeleton` does not depend on [derafu/foundation](#), and it has no templates, `public/` or assets. To start a web site use [derafu/website-skeleton](#).

Pages in this section

- **Code Quality** — Code Quality Tools

Last updated on 08/10/2026