

Introduction

37 UI components for Twig built with Bootstrap 5 and Font Awesome 6: headers, footers, cards, grids and more, for Symfony and for Derafu

Anonymous · 20/10/2026

UI Components for Twig

github

derafu/twig-components

last commit

today

 CI

passing

code size

534.1 KiB

open issues

0

downloads

1

downloads

1 this month

Derafu Twig Components is a collection of 37 UI components for Twig, for websites. They are [Symfony UX Twig Components](#), written with Bootstrap 5 and Font Awesome 6, and are used in a template with a tag:

```
<!-- TWIG_BLOCK_0 -->
```

Features

- **37 block components:** headers, footers, cards, grids, features, tabs, timelines, galleries and more (see [Components](#)).
- **Bootstrap 5 and Font Awesome 6:** the components use the grid, the utilities and the JavaScript of Bootstrap, and the icons of Font Awesome (see [Styles](#)).
- **Symfony 8 without a bundle:** three settings of your application register them (see [Symfony](#)).
- **Derafu without Symfony:** [derafu/twig](#) registers them in a Twig environment of its own (see [Derafu](#)).
- **Strict mode of Twig:** the templates work with `strict_variables`; a key that an item does not have is not an error.
- **Translated:** the texts of the components and their errors are written in English and have their Spanish translation (see [Translations](#)).
- **MIT License:** open-source and free to use.

Installation

```
composer require derafu/twig-components
```

It requires `symfony/ux-twig-component` and [derafu/translation](#).

Structure of a Component

Each component has three parts:

- **A PHP class** in `Derafu\TwigComponents\Component\Block`, with the options of the component as properties and its validations. It is marked with `#[AsTwigComponent('block-...')]`, and the name is the one of the tag.
- **A Twig template** in `resources/templates/components`, with the HTML.
- **A CSS file** in `resources/css/components`.

The options are the attributes of the tag. The ones that are not text (numbers, arrays) go with a colon before their name:

```
<!-- TWIG_BLOCK_1 -->
```

A value that is not valid for an option (a number of columns that does not exist, an item without its required text) is a translatable error that names the component and says what is wrong. See [Translations](#).

Where to Go Next

- [Components](#): every component, with examples.
- [Symfony](#): use them in a Symfony application.
- [Derafu](#): use them with `derafu/twig`.
- [Styles](#): the CSS and what the page needs.
- [Translations](#): the texts and the errors.
- [Development](#): see the components in a browser while you work on them.

Last updated on 20/10/2026